# **SAFETY PRODUCTS**

Waste caps seal the bottle/canister with an O-ring behind a PTFE lip, so the O-ring is therefore not a wetted part. Unused ports should be closed with plugs, available in PEEK or polypropylene. (See "Spare Parts" on page 66.)

- Prevent evaporation of volatile compounds
- 3 or 4 ports with 1/4-28 threads for 1/8" or 1/16" tubing
- Additional port with 1/2-20 thread for 1/4" OD tubing or M10 x 1 thread for a barbed adapter
- Thread-sealing barbed adapters available in three sizes, to connect 4 mm, 6 mm, or 8 mm ID tubing (shown at right – order separately)



GL45 threads Waste caps NEW

## **SPECS**

- Connections: 1/4-28, 1/2-20
- Materials Closure: PP (Polypropylene) Insert: **PTFE** O-ring: **NBR** Nuts: PPS/POM Ferrules: ETFE/ **CTFF** Plug: **PTFE** Barbed

adapter: PA/PP

- Fits all bottles or canisters with GL45 thread
- 4 ports with with one M10 x 1 port for barbed/angled adapters

This waste cap seals the bottle/cannester with an O-ring behind a PTFE lip, so the O-ring is therefore not a wetted part.

> No. of ports Product No.

Waste cap, GL45 JR-S-11023



# **INCLUDES**

1 cap

1 O-ring

1 set: 1/16" nut/ ferrule/ color-sleeve adapter

2 sets:

1/8" nut/ferrule/ color-sleeve adapter

# Waste caps

#### **SPECS**

- Connections: 1/4-28.1/2-20
- Materials PP Closure: (Polypropylene) Insert: **PTFE** O-rina: **NBR** Nuts: PPS/POM Ferrules: ETFE/ CTFE

Plug: **PTFE** Barbed adapter: PA/PP

- Fits all bottles or canisters with GLS80 thread
- 4 ports with 1/4-28 thread for 1/8" or 1/16" tubing
- Fifth port with choice of threads

Product No.

JR-S-18004

JR-S-18014

Waste cap, GLS80 Fifth port:

> 1/2-20 thread for 1/4" OD tubing, with 1/4" plug M10 x 1 thread for barbed adapter

(Order barbed adapter from "Spare Parts" on page 66)



## **INCLUDES**

1 cap

1 O-ring 1 set: 1/16" nut/ ferrule/

color-sleeve adapter 1 set: 1/4" nut/ferrule

GLS80 threads

3 sets:

1/8" nut/ferrule/ color-sleeve adapter

1 plug, 1/4" (1/2-20), where noted in product number chart

#### **NOTES**

One port must be reserved for the exhaust filter or the air inlet valve.

### MORE INFORMATION

Spare parts for waste caps .......... 68 Chemical resistance 96-98

#### RELATED PRODUCTS

Waste caps B53 threads ..........68 B83 threads .......... 68