

TUBE-TO-TUBE



STRAIGHT THROUGH
PG-37



STRAIGHT THROUGH REDUCER
PG-38



ELBOW
PG-40



ELBOW REDUCER
PG-41



TEE
PG-41



TEE REDUCER
PG-42



Y
PG-44



MULTIPOINT
PG-45



PRESS-IN PLUGS
PG-46



ULTRASONICALLY WELDABLE BARBS
PG-47



PANEL MOUNTS & ACCESSORIES
PG-47



CUSTOM TUBE-TO-TUBE FITTINGS
PG-35



TUBE-TO-TUBE

Tube-to-tube fittings join lengths of tubing and are available, depending on the Series, in versions to fit the following tubing IDs and barb configurations

Value Plastics tube-to-tube fittings are available in 11 different basic configurations and 4 different barb styles to fit 6 IDs of tubing between 1/16" (1.6 mm) and 1/4" (6.4 mm) tubing IDs. They are available from stock most commonly in nylon, polypropylene, polycarbonate and PVDF. Other materials are available on special order.

AVAILABLE BARB STYLES

Tube ID	Classic	200 Series	400 Series	500 Series
1/16" (1.6 mm)	X	X	X	X
3/32" (2.4 mm)	X	X	X	X
1/8" (3.2 mm)	X	X	X	X
5/32" (4.0 mm)	X	X	X	X
3/16" (4.8 mm)	X	X	X	X
1/4" (6.4 mm)	X	X	X	X
5/16" (8.0 mm)				X

Material Suffix Key

-1 White Nylon	-10 Acetal	-2 Black Nylon	-3 Red Nylon
-4 Green Nylon	-5 Blue Nylon	-06 Orange Nylon	-07 Yellow Nylon
-6 Natural Polypropylene	-6005 Animal-Free Polypropylene	-8003 Natural ABS	-81 Lace White ABS
-9 Clear Polycarbonate	-9002 Radiation Stable Polycarbonate	-J1A Natural Kynar PVDF	

N004 (-1 -2 -6 -9 -J1A)

Straight Through Connector with 500 Series Barbs, 1/16" (1.6 mm) ID Tubing


N210 (-1 -2 -6 -9 -J1A)

Straight Through Connector with 200 Series Barbs, 1/16" (1.6 mm) ID Tubing


N410 (-1 -2 -6 -J1A)

Straight Through Connector with 400 Series Barbs, 1/16" (1.6 mm) ID Tubing


AA (-1 -2 -6 -9 -J1A)

Straight Through Connector with Classic Series Barbs, 1/16" (1.6 mm) ID Tubing


N007 (-1 -2 -6 -6005 -9 -J1A)

Straight Through Connector with 500 Series Barbs, 3/32" (2.4 mm) ID Tubing


N220 (-1 -2 -6 -9 -9002 -J1A)

Straight Through Connector with 200 Series Barbs, 3/32" (2.4 mm) ID Tubing


N420 (-1 -2 -6 -J1A)

Straight Through Connector with 400 Series Barbs, 3/32" (2.4 mm) ID Tubing


DD (-1 -2 -6 -9 -J1A)

Straight Through Connector with Classic Series Barbs, 3/32" (2.4 mm) ID Tubing


N013 (-1 -2 -6 -6005 -9 -J1A -9002)

Straight Through Connector with 500 Series Barbs, 1/8" (3.2 mm) ID Tubing


N230 (-1 -2 -3 -5 -6 -9 -J1A)

Straight Through Connector with 200 Series Barbs, 1/8" (3.2 mm) ID Tubing


N430 (-1 -2 -6)

Straight Through Connector with 400 Series Barbs, 1/8" (3.2 mm) ID Tubing


CC (-1 -2 -6 -9 -J1A)

Straight Through Connector with Classic Series Barbs, 1/8" (3.2 mm) ID Tubing


N025 (-1 -2 -6 -6005 -9 -J1A)

Straight Through Connector with 500 Series Barbs, 5/32" (4.0 mm) ID Tubing


N440 (-1 -2 -5 -6 -9 -J1A)

Straight Through Connector with 400 Series Barbs, 5/32" (4.0 mm) ID Tubing


4040 (-1 -2 -6 -9 -J1A)

Straight Through Connector with Classic Series Barbs, 5/32" (4.0 mm) ID Tubing


N035 (-1 -2 -6 -9 -J1A)

Straight Through Connector with 500 Series Barbs, 3/16" (4.8 mm) ID Tubing


5050 (-1 -2 -6 -9 -9002 -J1A)

Straight Through Connector with Classic Series Barbs, 3/16" (4.8 mm) ID Tubing


N055 (-1 -2 -6 -9 -J1A)

Straight Through Connector with 500 Series Barbs, 1/4" (6.4 mm) ID Tubing


6060 (-1 -2 -6 -9 -9002 -J1A)

Straight Through Connector with Classic Series Barbs, 1/4" (6.4 mm) ID Tubing


N065 (-1 -2 -6 -9 -J1A)

Straight Through Connector with 500 Series Barbs, 5/16" (8 mm) ID Tubing



Material Suffix Key

-1 White Nylon	-10 Acetal	-2 Black Nylon	-3 Red Nylon
-4 Green Nylon	-5 Blue Nylon	-06 Orange Nylon	-07 Yellow Nylon
-6 Natural Polypropylene	-6005 Animal-Free Polypropylene	-8003 Natural ABS	-81 Lace White ABS
-9 Clear Polycarbonate	-9002 Radiation Stable Polycarbonate	-J1A Natural Kynar PVDF	

N007/004 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing


N220/210 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 200 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing


N420/410 (-1 -2 -6 -10 -J1A)

Straight Through Reduction Connector with 400 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing


AD (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing


N013/004 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing


N230/210 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing


N430/410 (-1 -2 -6 -J1A)

Straight Through Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing


AC (-0 -1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing


N025/004 (-1 -2 -6 -6005 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 5/32" (4.0 mm) and 1/16" (1.6 mm) ID Tubing


1040 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 5/32" (4.0 mm) and 1/16" (1.6 mm) ID Tubing


1050 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 3/16" (4.8 mm) and 1/16" (1.6 mm) ID Tubing


N013/007 (-1 -2 -6 -9 -9002 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing


N230/220 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing


N430/420 (-1 -2 -6 -J1A)

Straight Through Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing


DC (-1 -2 -6 -9)

Straight Through Reduction Connector with Classic Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing


N025/007 (-1 -2 -6 -6005 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 5/32" (4.0 mm) and 3/32" (2.4 mm) ID Tubing


2040 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 5/32" (4.0 mm) and 3/32" (2.4 mm) ID Tubing


N035/007 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 3/16" (4.8 mm) and 3/32" (2.4 mm) ID Tubing



Material Suffix Key

-1 White Nylon	-10 Acetal	-2 Black Nylon	-3 Red Nylon
-4 Green Nylon	-5 Blue Nylon	-06 Orange Nylon	-07 Yellow Nylon
-6 Natural Polypropylene	-6005 Animal-Free Polypropylene	-8003 Natural ABS	-81 Lace White ABS
-9 Clear Polycarbonate	-9002 Radiation Stable Polycarbonate	-J1A Natural Kynar PVDF	

2050 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 3/16" (4.8 mm) and 3/32" (2.4 mm) ID Tubing


N025/013 (-1 -2 -6 -6005 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 5/32" (4.0 mm) and 1/8" (3.2 mm) ID Tubing


3040 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 5/32" (4.0 mm) and 1/8" (3.2 mm) ID Tubing


N035/013 (-1 -2 -6 -6005 -81 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 3/16" (4.8 mm) and 1/8" (3.2 mm) ID Tubing


3050 (-1 -2 -5 -6 -6005 -81 -9 -9002 -J1A)


Straight Through Reduction Connector with Classic Series Barbs, 3/16" (4.8 mm) and 1/8" (3.2 mm) ID Tubing


N055/013 (-1 -2 -6 -9 -J1A)


Straight Through Reduction Connector with 500 Series Barbs, 1/4" (6.4 mm) and 1/8" (3.2 mm) ID Tubing


3060 (-1 -2 -6 -6005 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 1/4" (6.4 mm) and 1/8" (3.2 mm) ID Tubing


N070/013 (-0 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 3/8" (9.5 mm) and 1/8" (3.2 mm) ID Tubing


N035/025 (-1 -2 -6 -6005 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 3/16" (4.8 mm) and 5/32" (4.0 mm) ID Tubing


4050 (-1 -2 -6 -9 -J1A)


Straight Through Reduction Connector with Classic Series Barbs, 3/16" (4.8 mm) and 5/32" (4.0 mm) ID Tubing


N055/025 (-1 -2 -6 -6005 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 1/4" (6.4 mm) and 5/32" (4.0 mm) ID Tubing


4060 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 1/4" (6.4 mm) and 5/32" (4.0 mm) ID Tubing


N065/025 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 5/16" (8.0 mm) and 5/32" (4.0 mm) ID Tubing


N055/035 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 1/4" (6.4 mm) and 3/16" (4.8 mm) ID Tubing


5060 (-1 -2 -6 -6005 -9 -9002 -J1A)

Straight Through Reduction Connector with Classic Series Barbs, 1/4" (6.4 mm) and 3/16" (4.8 mm) ID Tubing



TUBE-TO-TUBE:
Straight Through Reducer
TUBE-TO-TUBE:
Elbow
Material Suffix Key

-1 White Nylon
 -4 Green Nylon
 -6 Natural Polypropylene
 -9 Clear Polycarbonate
 -10 Acetal
 -5 Blue Nylon
 -6005 Animal-Free Polypropylene
 -9002 Radiation Stable Polycarbonate

-2 Black Nylon
 -06 Orange Nylon
 -8003 Natural ABS
 -J1A Natural Kynar PVDF
 -3 Red Nylon
 -07 Yellow Nylon
 -81 Lace White ABS

N065/035 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 5/16" (8.0 mm) and 3/16" (4.8 mm) ID Tubing


N065/055 (-1 -2 -6 -9 -J1A)

Straight Through Reduction Connector with 500 Series Barbs, 5/16" (8.0 mm) and 1/4" (6.4 mm) ID Tubing


N070/055 (-0 -1 -6 -9)

Straight Through Reduction Connector with 500 Series Barbs, 3/8" (9.5 mm) and 1/4" (6.4 mm) ID Tubing


TUBE-TO-TUBE:
Elbow
L210 (-1 -2 -6 -9 -J1A)

Elbow Connector with 200 Series Barbs, 1/16" (1.6 mm) ID Tubing


L410 (-1 -2 -6 -J1A)

Elbow Connector with 400 Series Barbs, 1/16" (1.6 mm) ID Tubing


L10 (-1 -2 -6 -J1A)

Elbow Connector with Classic Series Barbs, 1/16" (1.6 mm) ID Tubing


L220 (-1 -2 -6 -9 -9002 -J1A)

Elbow Connector with 200 Series Barbs, 3/32" (2.4 mm) ID Tubing


L420 (-1 -2 -6 -J1A)

Elbow Connector with 400 Series Barbs, 3/32" (2.4 mm) ID Tubing


L20 (-1 -2 -6 -J1A)

Elbow Connector with Classic Series Barbs, 3/32" (2.4 mm) ID Tubing


L230 (-1 -2 -6 -9 -J1A)

Elbow Connector with 200 Series Barbs, 1/8" (3.2 mm) ID Tubing


L430 (-1 -2 -6 -J1A)

Elbow Connector with 400 Series Barbs, 1/8" (3.2 mm) ID Tubing


L30 (-1 -2 -6 -J1A)

Elbow Connector with Classic Series Barbs, 1/8" (3.2 mm) ID Tubing


L40 (-1 -2 -6 -J1A)

Elbow Connector with Classic Series Barbs, 5/32" (4.0 mm) ID Tubing


L440 (-2)

Elbow Connector with 400 Series Barbs, 5/32" (4.0 mm) ID Tubing


L50 (-1 -2 -6 -J1A)

Elbow Connector with Classic Series Barbs, 3/16" (4.8 mm) ID Tubing



TUBE-TO-TUBE:
Elbow
TUBE-TO-TUBE:
Elbow Reducer
Material Suffix Key

-1 White Nylon
 -4 Green Nylon
 -6 Natural Polypropylene
 -9 Clear Polycarbonate

-10 Acetal
 -5 Blue Nylon
 -6005 Animal-Free Polypropylene
 -9002 Radiation Stable Polycarbonate

-2 Black Nylon
 -06 Orange Nylon
 -8003 Natural ABS
 -J1A Natural Kynar PVDF

-3 Red Nylon
 -07 Yellow Nylon
 -81 Lace White ABS

L60 (-1 -2 -6 -J1A)

Elbow Connector with Classic Series Barbs, 1/4" (6.4 mm) ID Tubing


TUBE-TO-TUBE:
Elbow Reducer
L220/210 (-1 -2 -6 -9 -J1A)

Elbow Reduction Connector with 200 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing


L420/410 (-1 -2 -6 -J1A)

Elbow Reduction Connector with 400 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing


L230/210 (-1 -2 -6 -9 -J1A)

Elbow Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing


L430/410 (-1 -2 -6 -J1A)

Elbow Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing


L230/220 (-1 -2 -6 -9 -J1A)

Elbow Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing


L430/420 (-1 -2 -6 -J1A)

Elbow Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing


L430/220 (-9002)

Elbow Reduction Connector with a 400 Series Barb, 1/8" (3 mm) and a 200 Series Barb, 3/32" (2.25 mm) ID Tubing


TUBE-TO-TUBE:
Tee
T210 (-1 -2 -6 -9 -J1A)

Tee Connector with 200 Series Barbs, 1/16" (1.6 mm) ID Tubing


T410 (-1 -2 -6 -J1A)

Tee Connector with 400 Series Barbs, 1/16" (1.6 mm) ID Tubing


T10 (-1 -2 -6 -J1A)

Tee Connector with Classic Series Barbs, 1/16" (1.6 mm) ID Tubing


T220 (-1 -2 -6 -9 -J1A)

Tee Connector with 200 Series Barbs, 3/32" (2.4 mm) ID Tubing


T420 (-1 -2 -6 -J1A)

Tee Connector with 400 Series Barbs, 3/32" (2.4 mm) ID Tubing


T20 (-1 -2 -6 -J1A)

Tee Connector with Classic Series Barbs, 3/32" (2.4 mm) ID Tubing


T230 (-1 -2 -5 -6 -9 -J1A)

Tee Connector with 200 Series Barbs, 1/8" (3.2 mm) ID Tubing


T430 (-1 -2 -6 -9002 -J1A)

Tee Connector with 400 Series Barbs, 1/8" (3.2 mm) ID Tubing


TUBE-TO-TUBE


TUBE-TO-TUBE:*Tee***TUBE-TO-TUBE:***Tee Reducer***Material Suffix Key**

-1 White Nylon
 -4 Green Nylon
 -6 Natural Polypropylene
 -9 Clear Polycarbonate
 -10 Acetal
 -5 Blue Nylon
 -6005 Animal-Free Polypropylene
 -9002 Radiation Stable Polycarbonate

-2 Black Nylon
 -06 Orange Nylon
 -8003 Natural ABS
 -J1A Natural Kynar PVDF
 -3 Red Nylon
 -07 Yellow Nylon
 -81 Lace White ABS

T013 (-6005)


Tee Connector with 500 Series Barbs, 1/8" (3.2 mm) ID Tubing

**T30 (-1 -2 -6 -9 -J1A)**


Tee Connector with Classic Series Barbs, 1/8" (3.2 mm) ID Tubing

**T40 (-1 -2 -6 -J1A)**


Tee Connector with Classic Series Barbs, 5/32" (4 mm) ID Tubing

**T50 (-1 -2 -6 -J1A)**


Tee Connector with Classic Series Barbs, 3/16" (4.8 mm) ID Tubing

**T055 (-6005)**

Tee Connector with 500 Series Barbs, 1/4" (6.4 mm) ID Tubing

**T60 (-1 -2 -6 -J1A)**

Tee Connector with Classic Series Barbs, 1/4" (6.4 mm) ID Tubing

**T210/220 (-1 -2 -6 -9 -J1A)**

Tee Reduction Connector with 200 Series Barbs, 1/16" (1.6 mm) and 3/32" (2.4 mm) ID Tubing

**T410/420 (-1 -2 -6 -J1A)**

Tee Reduction Connector with 400 Series Barbs, 1/16" (1.6 mm) and 3/32" (2.4 mm) ID Tubing

**T420/410 (-1 -2 -6 -J1A)**

Tee Reduction Connector with 400 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing

**T220/210 (-1 -2 -6 -9 -J1A)**

Tee Reduction Connector with 200 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing

**T220R210 (-1 -2 -6 -9 -J1A)**

Tee Reduction Connector with 200 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing

**T420R410 (-1 -2 -6 -J1A)**

Tee Reduction Connector with 400 Series Barbs, 3/32" (2.4 mm) and 1/16" (1.6 mm) ID Tubing

**T430/410 (-1 -2 -6 -J1A)**

Tee Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing

**T230/210 (-1 -2 -6 -9 -J1A)**

Tee Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing



TUBE-TO-TUBE:**Tee Reducer****Material Suffix Key**

-1 White Nylon	-10 Acetal	-2 Black Nylon	-3 Red Nylon
-4 Green Nylon	-5 Blue Nylon	-06 Orange Nylon	-07 Yellow Nylon
-6 Natural Polypropylene	-6005 Animal-Free Polypropylene	-8003 Natural ABS	-81 Lace White ABS
-9 Clear Polycarbonate	-9002 Radiation Stable Polycarbonate	-J1A Natural Kynar PVDF	

T210/230 (-1 -2 -6 -9 -J1A)

Tee Reduction Connector with 200 Series Barbs, 1/16" (1.6 mm) and 1/8" (3.2 mm) ID Tubing

**T410/430 (-1 -2 -6 -J1A)**

Tee Reduction Connector with 400 Series Barbs, 1/16" (1.6 mm) and 1/8" (3.2 mm) ID Tubing

**T230R210 (-1 -2 -6 -9 -J1A)**

Tee Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing

**T430R410 (-1 -2 -6 -J1A)**

Tee Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 1/16" (1.6 mm) ID Tubing

**T220/230 (-1 -2 -6 -9 -J1A)**

Tee Reduction Connector with 200 Series Barbs, 3/32" (2.4 mm) and 1/8" (3.2 mm) ID Tubing

**T420/430 (-1 -2 -6 -J1A)**

Tee Reduction Connector with 400 Series Barbs, 3/32" (2.4 mm) and 1/8" (3.2 mm) ID Tubing

**T230/220 (-1 -2 -6 -9 -J1A)**

Tee Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing

**T430/420 (-1 -2 -3 -6 -J1A)**

Tee Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing

**T230R220 (-1 -2 -6 -9 -J1A)**

Tee Reduction Connector with 200 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing

**T430R420 (-1 -2 -6 -J1A)**


Tee Reduction Connector with 400 Series Barbs, 1/8" (3.2 mm) and 3/32" (2.4 mm) ID Tubing

**T360/220 (-1 -2 -6 -9 -J1A)**


Tee Reduction Connector with 200 and 300 Series Barbs, 1/4" (6.4 mm) and 3/32" (2.4 mm) ID Tubing

**T360/230 (-1 -2 -6 -9 -J1A)**

Tee Reduction Connector with 200 and 300 Series Barbs, 1/4" (6.4 mm) and 1/8" (3.2 mm) ID Tubing

**T360/250 (-1 -2 -6 -9 -J1A)**

Tee Reduction Connector with 200 and 300 Series Barbs, 1/4" (6.4 mm) and 3/16" (4.8 mm) ID Tubing



LARGER TEE REDUCERS - For larger Tee Reducers for 3/8" to 1" IDs refer to page 48...

TUBE-TO-TUBE

Material Suffix Key

-1 White Nylon

-4 Green Nylon

-6 Natural Polypropylene

-9 Clear Polycarbonate

-10 Acetal

-5 Blue Nylon

-6005 Animal-Free Polypropylene

-9002 Radiation Stable Polycarbonate

-2 Black Nylon

-06 Orange Nylon

-8003 Natural ABS

-J1A Natural Kynar PVDF

-3 Red Nylon

-07 Yellow Nylon

-81 Lace White ABS

Y210 (-1 -2 -6 -9 -J1A)

Y Connector with 200 Series Barbs, 1/16" (1.6 mm) ID Tubing

**Y410 (-1 -2 -6 -J1A)**

Y Connector with 400 Series Barbs, 1/16" (1.6 mm) ID Tubing

**Y220 (-1 -2 -6 -9 -J1A)**

Y Connector with 200 Series Barbs, 3/32" (2.4 mm) ID Tubing

**Y420 (-1 -2 -6 -J1A)**

Y Connector with 400 Series Barbs, 3/32" (2.4 mm) ID Tubing

**Y230 (-1 -2 -3 -6 -9 -J1A)**


Y Connector with 200 Series Barbs, 1/8" (3.2 mm) ID Tubing

**Y430 (-1 -2 -6 -J1A)**

Y Connector with 400 Series Barbs, 1/8" (3.2 mm) ID Tubing

**Y013 (-6005)**


Y Connector with 500 Series Barbs, 1/8" (3.2 mm) ID Tubing

**Y240 (-1 -2 -6 -9 -J1A)**

Y Connector with 200 Series Barbs, 5/32" (4.0 mm) ID Tubing

**Y250 (-1 -2 -6 -9 -9002 -J1A)**


Y Connector with 200 Series Barbs, 3/16" (4.8 mm) ID Tubing

**Y450 (-1 -2 -6 -J1A)**


Y Connector with 400 Series Barbs, 3/16" (4.8 mm) ID Tubing

**Y260 (-1 -2 -6 -9 -9002 -J1A)**


Y Connector with 200 Series Barbs, 1/4" (6.4 mm) ID Tubing

**Y460 (-1 -2 -6 -9 -J1A)**

Y Connector with 400 Series Barbs, 1/4" (6.4 mm) ID Tubing

**Y055 (-6005)**

Y Connector with 500 Series Barbs, 1/4" (6.4 mm) ID Tubing



Material Suffix Key

-1 White Nylon
 -4 Green Nylon
 -6 Natural Polypropylene
 -9 Clear Polycarbonate

-10 Acetal
 -5 Blue Nylon
 -6005 Animal-Free Polypropylene
 -9002 Radiation Stable Polycarbonate

-2 Black Nylon
 -06 Orange Nylon
 -8003 Natural ABS
 -J1A Natural Kynar PVDF

-3 Red Nylon
 -07 Yellow Nylon
 -81 Lace White ABS

3PF210 (-1 -6)

Three-port F Style Manifold with 200 Series Barbs for 1/16" (1.6 mm) ID Tubing


3PF220 (-1 -6)


Three-port F Style Manifold with 200 Series Barbs for 3/32" (2.4 mm) ID Tubing


3PF230 (-1 -6)


Three-port F Style Manifold with 200 Series Barbs for 1/8" (3.2 mm) ID Tubing


4PX210 (-1 -6)


Four-port Cross Style Manifold with 200 Series Barbs for 1/16" (1.6 mm) ID Tubing


4PX220 (-1 -6)

Four-port Cross Style Manifold with 200 Series Barbs for 3/32" (2.4 mm) ID Tubing


4PX230 (-1 -6)


Four-port Cross Style Manifold with 200 Series Barbs for 1/8" (3.2 mm) ID Tubing


4PDL210 (-1 -6)


Four-port Double Elbow Style Manifold with 200 Series Barbs, 1/16" (1.6 mm) ID Tubing


4PDL220 (-1 -6)

Four-port Double Elbow Style Manifold with 200 Series Barbs, 3/32" (2.4 mm) ID Tubing


4PDL230 (-1 -6)


Four-port Double Elbow Style Manifold with 200 Series Barbs, 1/8" (3.2 mm) ID Tubing


4PLL210 (-1 -6)


Four-port Thru Flow Double Elbow Style Manifold with 200 Series Barbs, 1/16" (1.6 mm) ID Tubing


4PLL220 (-1 -6)


Four-port Thru Flow Double Elbow Style Manifold with 200 Series Barbs, 3/32" (2.4 mm) ID Tubing


4PLL230 (-1 -2 -6)


Four-port Thru Flow Double Elbow Style Manifold with 200 Series Barbs, 1/8" (3.2 mm) ID Tubing


6PDT210 (-1 -6)

Six-port Double T Style Manifold with 200 Series Barbs for 1/16" (1.6 mm) ID Tubing


6PDT220 (-1 -6)

Six-port Double T Style Manifold with 200 Series Barbs for 3/32" (2.4 mm) ID Tubing




Material Suffix Key

-1 White Nylon
-4 Green Nylon
-6 Natural Polypropylene
-9 Clear Polycarbonate
-10 Acetal
-5 Blue Nylon
-6005 Animal-Free Polypropylene
-9002 Radiation Stable Polycarbonate


-2 Black Nylon
-06 Orange Nylon
-8003 Natural ABS
-J1A Natural Kynar PVDF
-3 Red Nylon
-07 Yellow Nylon
-81 Lace White ABS

6PDT230 (-1 -6)


Six-port Double T Style Manifold with 200 Series Barbs for 1/8" (3.2 mm) ID Tubing

**6PTT210 (-1 -6)**


Six-port Thru Flow Double T Style Manifold with 200 Series Barbs for 1/16" (1.6 mm) ID Tubing

**6PTT220 (-1 -6)**

Six-port Thru Flow Double T Style Manifold with 200 Series Barbs for 3/32" (2.4 mm) ID Tubing

**6PTT230 (-1 -6)**

Six-port Thru Flow Double T Style Manifold with 200 Series Barbs for 1/8" (3.2 mm) ID Tubing

**PIP210 (-1 -2 -6 -J1A)**

Press-In Plug with 200 Series Barb, 1/16" (1.6 mm) ID Tubing

**PIP10 (-1 -2 -6 -J1A)**

Press-In Plug with Classic Series Barb, 1/16" (1.6 mm) ID Tubing

**PIP220 (-1 -2 -6 -J1A)**

Press-In Plug with 200 Series Barb, 3/32" (2.4 mm) ID Tubing

**PIP20 (-1 -2 -6 -J1A)**

Press-In Plug with Classic Series Barb, 3/32" (2.4 mm) ID Tubing

**PIP230 (-1 -2 -6 -J1A)**

Press-In Plug with 200 Series Barb, 1/8" (3.2 mm) ID Tubing

**PIP30 (-1 -2 -6 -J1A)**

Press-In Plug with Classic Series Barb, 1/8" (3.2 mm) ID Tubing

**PIP240 (-1 -2 -6 -J1A)**

Press-In Plug with 200 Series Barb, 5/32" (4.0 mm) ID Tubing

**PIP40 (-1 -2 -6 -J1A)**

Press-In Plug with Classic Series Barb, 5/32" (4.0 mm) ID Tubing

**PIP50 (-1 -2 -6 -J1A)**

Press-In Plug with Classic Series Barb, 3/16" (4.8 mm) ID Tubing

**PIP60 (-1 -2 -6 -J1A)**

Press-In Plug with Classic Series Barb, 1/4" (6.4 mm) ID Tubing



- | | |
|-------------------------|--------------------|
| -2 Black Nylon | -3 Red Nylon |
| -06 Orange Nylon | -07 Yellow Nylon |
| -8003 Natural ABS | -81 Lace White ABS |
| -J1A Natural Kynar PVDF | |



Straight Through and Reducer



*Stainless Steel



*Stainless Steel



PART	Dimension A	Use Lock Nut
PMK Series	.193"	PMKN
PMS Series	.255"	PMSN or LNS

